



LOADERS SECTION- BACKHOE-WHEELED-TRACKED-SKID STEER

WHEEL / TRACKED LOADERS RECOMMENDED REPLACEMENT SEATING

AHLMANN, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
AS 9	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
AL 7 D	4020 or 4025	1420	4050 or 4060		
ATLAS, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
82E	4020 or 4025	1420	4050 or 4060		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
AR41B	4020 or 4025	1420	4050 or 4060		
CASE, Wheeled Loaders					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
621B	4020 or 4025	1420	4050 or 4060	Sears	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 355 wide x 395mm (14 x15.5").
721B	4020 or 4025	1420	4050 or 4060	Sears	
821B	4020 or 4025	1420	4050 or 4060	Sears	Ditto
921B	4020 or 4025	1420	4050 or 4060	Sears	Ditto



EXCAVATORS SECTION- TRACKED-WHEEL-MINI-COMPACT

EXCAVATORS - Recommended Replacement Seating					
AKERMAN, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
EC300LC	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
ATLAS, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
BROYT, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
X52WF	3010	3020	4050	KAB 301	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
ED600T	3010	3020	4050	KAB 301	Ditto
ED600W	3010	3020	4050	KAB 301	Ditto
D600T	3010	3020	4050	KAB 301	Ditto
D600W	3010	3020	4050	KAB 301	Ditto
D800T	3010	3020	4050	KAB 301	Ditto
D800W	3010	3020	4050	KAB 301	Ditto
D1000T	3010	3020	4050	KAB 301	Ditto
D1000W	3010	3020	4050	KAB 301	Ditto
CASE, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
9010b	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
9020b	3010	4020 or 3020	4050		Ditto
9030b	3010	4020 or 3020	4050		Ditto
9040b	3010	4020 or 3020	4050		Ditto
9050b	3010	4020 or 3020	4050		Ditto
9060b	3010	4020 or 3020	4050		Ditto
CASE POCLAIN, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
588BCK	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
688CK	3010	4020 or 3020	4050		Ditto
688BCK	3010	4020 or 3020	4050		Ditto
788BCK	3010	4020 or 3020	4050		Ditto
888BCK	3010	4020 or 3020	4050		Ditto
888BP	3010	4020 or 3020	4050		Ditto
1088CL	3010	4020 or 3020	4050		Ditto
1088 MAXI	3010	4020 or 3020	4050		Ditto
1188LC	3010	4020 or 3020	4050		Ditto
1288LC	3010	4020 or 3020	4050		Ditto
C28	3010	4020 or 3020	4050		Ditto
CATERPILLAR, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
214	3010	4020 or 3020	4050		up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
215	3010	4020 or 3020	4050		Ditto
225B	3010	4020 or 3020	4050		Ditto
240B	3010	4020 or 3020	4050		Ditto
307	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
312	3010	4020 or 3020	4050		Ditto
315	3010	4020 or 3020	4050		Ditto
317	3010	4020 or 3020	4050		Ditto
320	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
320L	3010	4020 or 3020	4050	KAB 411	Ditto
322L	3010	4020 or 3020	4050	KAB 411	Ditto
325L	3010	4020 or 3020	4050	KAB 411	Ditto
330L	3010	4020 or 3020	4050	KAB 411	Ditto
350	3010	4020 or 3020	4050	KAB 411	Ditto
350L	3010	4020 or 3020	4050	KAB 411	Ditto
375	3010	4020 or 3020	4050	KAB 411	Ditto
375L	3010	4020 or 3020	4050	KAB 411	Ditto
5080 Shovel	3010	4020 or 3020	4050		Ditto
5110	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
5130 Shovel	3010	4020 or 3020	4050		Ditto
5230 shovel	3010	4020 or 3020	4050		Ditto

AIRMAN Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
AX30	3010	4020 or 3020	4050	KAB 411	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
AAX40	3010	4020 or 3020	4050		Ditto
BOBCAT Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
325	3010	4020 or 3020	4050	DS85/HLA	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
X335	3010	4020 or 3020	4050	DS85/HLA	Ditto
231	3010	4020 or 3020	4050	DS85/HLA	Ditto
	3010	4020 or 3020	4050	DS85/HLA	Ditto
DAEWOO Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
SL70-3	3010	4020 or 3020	4050	KAB 411	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
DH130-2	3010	4020 or 3020	4050	KAB 411	Ditto
DH170	3010	4020 or 3020	4050	KAB 411	Ditto
200LC	3010	4020 or 3020	4050	KAB 411	Ditto
400LC3	3010	4020 or 3020	4050		Ditto
DEMAG Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
H55	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
JOHN DEERE Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
120	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
190E	3010	4020 or 3020	4050		Ditto
200LC	3010	4020 or 3020	4050		Ditto
230LC	3010	4020 or 3020	4050		Ditto
290D	3010	4020 or 3020	4050		Ditto
400LC	3010	4020 or 3020	4050		Ditto
490E	3010	4020 or 3020	4050		Ditto
590D	3010	4020 or 3020	4050		Ditto
595D	3010	4020 or 3020	4050		Ditto
690E	3010	4020 or 3020	4050		Ditto
790E-LC	3010	4020 or 3020	4050		Ditto
792D-LC	3010	4020 or 3020	4050		Ditto
892E-LC	3010	4020 or 3020	4050		Ditto
992E-LC	3010	4020 or 3020	4050		Ditto
					Ditto
					Ditto
					Ditto
FIATALLIS					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FX130LC	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
FX210LC	3010	4020 or 3020	4050		Ditto
FX250LC	3010	4020 or 3020	4050		Ditto
FX310LC	3010	4020 or 3020	4050		Ditto
					Ditto
FAUN					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
FIAT-HITACHI					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
FH120.2	3010	4020 or 3020	4050	KAB 411	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
FH130.3	3010	4020 or 3020	4050	KAB 411	Ditto
FH150LC	3010	4020 or 3020	4050	KAB 411	Ditto
FH200	3010	4020 or 3020	4050	KAB 411	Ditto
FH200.3	3010	4020 or 3020	4050	KAB 411	Ditto
FH300	3010	4020 or 3020	4050	KAB 411	Ditto
FH300.2	3010	4020 or 3020	4050	KAB 411	Ditto

HYUNDAI, Excavators from 1995 - 3 Models					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
R130LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
R130W-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R150LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R170LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R170W-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R180LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R210LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R240LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R290LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R320LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R360LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
R450LC-3	3010	4020 or 3020	4050	KAB 411 or KAB 525	Ditto
JCB					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
C3X	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
801	3010	4020 or 3020	4050		Ditto
801.4	3010	4020 or 3020	4050		Ditto
JS160LC	3010	4020 or 3020	4050		Ditto
IMER IHI					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
12JX	3010	4020 or 3020	4050	MT	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
20JX	3010	4020 or 3020	4050	MT	Ditto
30JX	3010	4020 or 3020	4050	MT	Ditto
35JX	3010	4020 or 3020	4050	MT	Ditto
40JX	3010	4020 or 3020	4050	MT	Ditto
7J	3010	4020 or 3020	4050	MT	Ditto
15J	3010	4020 or 3020	4050	MT	Ditto
17JE	3010	4020 or 3020	4050	MT	Ditto
18J	3010	4020 or 3020	4050	MT	Ditto
28J	3010	4020 or 3020	4050	MT	Ditto
30J	3010	4020 or 3020	4050	MT	Ditto
35J	3010	4020 or 3020	4050	MT	Ditto
45J2	3010	4020 or 3020	4050	MT	Ditto
45J5	3010	4020 or 3020	4050	MT	Ditto
55J	3010	4020 or 3020	4050	MT	Ditto
KOBELCO					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
SK9SR					
SS60	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
SK015	3010	4020 or 3020	4050	KAB 411	Ditto
SK016	3010	4020 or 3020	4050		
SK025	3010	4020 or 3020	4050	KAB 411	Ditto
SK030	3010	4020 or 3020	4050		
SK035	3010	4020 or 3020	4050	KAB 411	Ditto
SK045	3010	4020 or 3020	4050		
SK60-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK70SR	3010	4020 or 3020	4050		
SK100-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK120LC-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK135SRLC	3010	4020 or 3020	4050		
SK160LC	3010	4020 or 3020	4050		
SK150LC-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK200LC-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK210LC	3010	4020 or 3020	4050		
SK220LC-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK235SRLC	3010	4020 or 3020	4050		
SL250SRLC	3010	4020 or 3020	4050		
SK270LC-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK300LC-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK330LC	3010	4020 or 3020	4050		
SK400LC-1V	3010	4020 or 3020	4050	KAB 411	Ditto
SK460LC	3010	4020 or 3020	4050		
K909LC-11	3010	4020 or 3020	4050	KAB 411	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.

KOMATSU, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
PC8000 shovel	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
PC5500 shovel	3010	4020 or 3020	4050		Ditto
PC4000 shovel	3010	4020 or 3020	4050		Ditto
PC3000 shovel	3010	4020 or 3020	4050		Ditto
PC1800 shovel	3010	4020 or 3020	4050		Ditto
PC1400 shovel	3010	4020 or 3020	4050		Ditto
PC1100 shovel	3010	4020 or 3020	4050		Ditto
PC750 shovel	3010	4020 or 3020	4050		Ditto
PC450 shovel	3010	4020 or 3020	4050		Ditto
	3010	4020 or 3020	4050		Ditto
PC220-1	3010	4020 or 3020	4050		Very old machine - no recommendations
PC300LC-1	3010	4020 or 3020	4050		Very old machine - no recommendations
PC400C-1	3010	4020 or 3020	4050		Very old machine - no recommendations
PC1000-1	3010	4020 or 3020	4050		Very old machine - no recommendations
PC1000SE-1	3010	4020 or 3020	4050		Very old machine - no recommendations
PC1000-1Shovel	3010	4020 or 3020	4050		Very old machine - no recommendations
PC1000LC-1	3010	4020 or 3020	4050		Very old machine - no recommendations
PW170ES	3010	4020 or 3020	4050		
PW150ES	3010	4020 or 3020	4050		
PW130ES	3010	4020 or 3020	4050		
PW110R	3010	4020 or 3020	4050		
PW95R	3010	4020 or 3020	4050		
PW75R	3010	4020 or 3020	4050		
PC120-3	3010	4020 or 3020	4050		Dismount factory seat from the height riser. do not remove this height riser, use SA19096.901 installation kit to bolt directly to it.
PC200LC-3	3010	4020 or 3020	4050		Ditto
PC220LC-3	3010	4020 or 3020	4050		Ditto
PC300LC-3	3010	4020 or 3020	4050		Ditto
PC400LC-3	3010	4020 or 3020	4050		Ditto
PC650-3	3010	4020 or 3020	4050		Ditto
PC650LC-3	3010	4020 or 3020	4050		Ditto
PC120-5	3010	4020 or 3020	4050		Dismount factory seat from the height riser. do not remove this height riser, use SA19096.901 installation kit to bolt directly to it.
PC150LC-5	3010	4020 or 3020	4050		Ditto
PW170-5	3010	4020 or 3020	4050		Ditto
PC200LC-5	3010	4020 or 3020	4050		Ditto
PC220LC-5	3010	4020 or 3020	4050		Ditto
PC300LC-5	3010	4020 or 3020	4050		Ditto
PC400LC-5	3010	4020 or 3020	4050		Ditto
PC650LC-5	3010	4020 or 3020	4050		Ditto
	3010	4020 or 3020	4050		
KOMATSU, Excavators - 6 Models					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
PC120-6	3010	4020 or 3020	4050		Dismount factory seat from the height riser. do not remove this height riser, use SA19096.901 installation kit to bolt directly to it.
PC200LC-6	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
PC210LC-6	3010	4020 or 3020	4050		Ditto
PC220LC-6	3010	4020 or 3020	4050		Ditto
PC250LC-6	3010	4020 or 3020	4050		Ditto
PC300LC-6	3010	4020 or 3020	4050		Ditto
PC400LC-6	3010	4020 or 3020	4050		Ditto
PC400HD-6	3010	4020 or 3020	4050		Ditto
PC750-6	3010	4020 or 3020	4050		Ditto
PC750SE-6	3010	4020 or 3020	4050		Ditto
PC750LC-6	3010	4020 or 3020	4050		Ditto
	3010	4020 or 3020	4050		Ditto
PC1800	3010	4020 or 3020	4050		Ditto
PC1100/SP	3010	4020 or 3020	4050		Ditto
PC750/SE	3010	4020 or 3020	4050		Ditto
PC600	3010	4020 or 3020	4050		Ditto
PC450/LC	3010	4020 or 3020	4050		Ditto
PC380LC	3010	4020 or 3020	4050		Ditto
PC340LC/NLC	3010	4020 or 3020	4050		Ditto
PC290LC/NLC	3010	4020 or 3020	4050		Ditto
PC240/LC	3010	4020 or 3020	4050		Ditto
PC210/LC	3010	4020 or 3020	4050		Ditto
PC200EL/EN	3010	4020 or 3020	4050		Ditto
PC180LC/NLC	3010	4020 or 3020	4050		Ditto
PC160	3010	4020 or 3020	4050		Ditto
PC150LGP	3010	4020 or 3020	4050		Ditto
PC130	3010	4020 or 3020	4050		Ditto
PC110R	3010	4020 or 3020	4050		Ditto
PC95R	3010	4020 or 3020	4050		Ditto
PC75R	3010	4020 or 3020	4050		Ditto
PC45R	3010	4020 or 3020	4050		Ditto
MRX40	3010	4020 or 3020	4050		Ditto
PC35R	3010	4020 or 3020	4050		Ditto
PC27R	3010	4020 or 3020	4050		Ditto
MRX30	3010	4020 or 3020	4050		Ditto
PC20R	3010	4020 or 3020	4050		Ditto
MRX20	3010	4020 or 3020	4050		Ditto
PC15R	3010	4020 or 3020	4050		Ditto
PC12R	3010	4020 or 3020	4050		Ditto
PC03	3010	4020 or 3020	4050		Ditto

PEL JOB Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
					Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
SAMSUNG, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
					Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
SE130LC-2	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
SE130W-2	3010	4020 or 3020	4050		Ditto
SE130LCM-2	3010	4020 or 3020	4050		Ditto
SE10W-2	3010	4020 or 3020	4050		Ditto
SE210LC-2	3010	4020 or 3020	4050		Ditto
SE280LC-2	3010	4020 or 3020	4050		Ditto
SE350LC-2	3010	4020 or 3020	4050		Ditto
SE450LC-2	3010	4020 or 3020	4050		Ditto
SL120-2	3010	4020 or 3020	4050		Ditto
SL150-2	3010	4020 or 3020	4050		Ditto
SL180-2	3010	4020 or 3020	4050		Ditto
SL250-2	3010	4020 or 3020	4050		Ditto
SANDHURST (SMC), Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
					Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
MX-35	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
MX50	3010	4020 or 3020	4050		Ditto
MX80	3010	4020 or 3020	4050		Ditto
SCHAEFF, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
					Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
HR21	3010	4020 or 3020	4050	DS85/90	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
SUMITOMO, Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
					Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
S160	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
SH60	3010	4020 or 3020	4050		Ditto
SH60BL-1	3010	4020 or 3020	4050		Ditto
SH60BL-2	3010	4020 or 3020	4050		Ditto
SH120	3010	4020 or 3020	4050		Ditto
SH200	3010	4020 or 3020	4050		Ditto
TAKEUCHI					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
					Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
TB007	3010	4020 or 3020	4050	DS85/90	Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
TB15	3010	4020 or 3020	4050	DS85/90	Ditto
TB015	3010	4020 or 3020	4050	DS85/90	Ditto
TB020	3010	4020 or 3020	4050	DS85/90	Ditto
TB025	3010	4020 or 3020	4050	DS85/90	Ditto
TB035	3010	4020 or 3020	4050	DS85/90	Ditto
TB045	3010	4020 or 3020	4050	DS85/90	Ditto
TB070	3010	4020 or 3020	4050	DS85/90	Ditto
VOLVO Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
					Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
EW130C	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
EC130C	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EW150C	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EC150C	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EW200	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EC200	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EW230B	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EC230B	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EC300	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EC450	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
EC650	3010	4020 or 3020	4050	ISRI 6000/575	Ditto
YANMAR Excavators					
MODEL	OPTION 1	OPTION 2	OPTION 3 (Air Option)	OEM SEAT	COMMENTS
					Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
YB351	3010	4020 or 3020	4050		Installation kit SA19096.901 required. This kit accommodates all bolt patterns up to 14 x 14". Note: Sears seats cannot be used if factory seat is fitted with integral joystick pods.
B7	3010	4020 or 3020	4050		Ditto
B27-2	3010	4020 or 3020	4050		Ditto